



## Woodward Legacy Fuel Valves GS6/GS16/GS16DR

---

### ***Product Change***

---

The Woodward GS6/16/16DR Fuel Metering Valve family used primarily for industrial gas turbines are being removed as a standard product offering. Woodward's newest GS40 and GS50 Series Fuel Metering Valve family will replace these legacy product lines with superior performance and reliability.

### ***Description***

---

Woodward will stop shipping these products on September 30<sup>th</sup>, 2027. Please contact your Woodward representative for current lead time and last time buy opportunities. Woodward will offer repair and overhaul services for these items until September 30<sup>th</sup>, 2037 (based on component availability) along with full support for the product while under its original factory warranty.

The GS40 and GS50 Series is designed with flange-to-flange compatibility to the legacy GS6, GS16, and GS16DR series to simplify installation, while offering modern enhancements that elevate performance. If you're considering transitioning from the GS6/16/16DR to the GS40 and GS50 Series Fuel Metering Valves, please contact your Woodward representative to discuss packaging and control considerations that may influence your migration strategy.

### ***Affected Units***

---

The following list may not be an all encompassing list of item numbers offered by Woodward since the product was released and is only provided here as a reference for the latest versions currently available.

| Item No       | Extended Desc                                                                                          |
|---------------|--------------------------------------------------------------------------------------------------------|
| 9908-1530     | GS6, 0.15" PORT, CANOPEN, SINGLE RESOLVER, SINGLE CONDUIT, CHARACTERIZED                               |
| 9908-1532     | GS6, 0.15" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT                                             |
| 9908-1533     | GS6, 0.15" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED                              |
| 9908-1531     | GS6, 0.15" PORT, CONFIGURABLE, SINGLE RESOLVER, DUAL CONDUIT                                           |
| 9908-1529     | GS6, 0.15" PORT, CONFIGURABLE, SINGLE RESOLVER, SINGLE CONDUIT                                         |
| 9908-1537     | GS6, 0.30" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT                                             |
| 9908-1538     | GS6, 0.30" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED                              |
| 9908-1536     | GS6, 0.30" PORT, CONFIGURABLE, SINGLE RESOLVER, DUAL CONDUIT                                           |
| 9908-1534     | GS6, 0.30" PORT, CONFIGURABLE, SINGLE RESOLVER, SINGLE CONDUIT                                         |
| 9908-1541     | GS6, 0.45" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT                                             |
| 9908-1540     | GS6, 0.45" PORT, CONFIGURABLE, SINGLE RESOLVER, DUAL CONDUIT                                           |
| 9908-1539     | GS6, 0.45" PORT, CONFIGURABLE, SINGLE RESOLVER, SINGLE CONDUIT                                         |
| 9908-1539.EXP | GS6, 0.45" PORT, CONFIGURABLE, SINGLE RESOLVER, SINGLE CONDUIT                                         |
| 9908-1545     | GS6, 0.60" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT                                             |
| 9908-1544     | GS6, 0.60" PORT, CONFIGURABLE, SINGLE RESOLVER, DUAL CONDUIT                                           |
| 9908-1542     | GS6, 0.60" PORT, CONFIGURABLE, SINGLE RESOLVER, SINGLE CONDUIT                                         |
| 9908-232      | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL ATEX ZONE 1 CONDUIT & CONNECTOR, CHARACTERIZED, 270 |
| 9908-1553     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT                                             |
| 9908-1555     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, 90 DEG ROTATED DRIVER                      |
| 9908-1554     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED                              |
| 9908-1559     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED, 270 DEG ROTATED DRIVER      |
| 9908-1556     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED, 90 DEG ROTATED DRIVER       |
| 9908-2013     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED, 90 DEG ROTATED DRIVER, PESO |
| 9908-1761     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED, 90 DEG ROTATED DRIVER, UKCA |
| 9908-1557     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, DUAL CONDUIT, CHARACTERIZED, EX D CABLES                 |
| 9908-1549     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, SINGLE CONDUIT, CHARACTERIZED                            |
| 9908-1548     | GS6, 0.75" PORT, CONFIGURABLE, DUAL RESOLVER, SINGLE CONDUIT, CHARACTERIZED, 90 DEG ROTATED DRIVER     |
| 9908-1552     | GS6, 0.75" PORT, CONFIGURABLE, SINGLE RESOLVER, DUAL CONDUIT                                           |
| 9908-1550     | GS6, 0.75" PORT, CONFIGURABLE, SINGLE RESOLVER, SINGLE CONDUIT                                         |
| 9908-1551     | GS6, 0.75" PORT, CONFIGURABLE, SINGLE RESOLVER, SINGLE CONDUIT, METRIC CONNECTIONS                     |
| 9908-1588     | GS6FS, 0.3 SQ IN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, TYPE III MOTOR, QT RETURN SPRING              |
| 9908-1587     | GS6FS, 0.75 SQ IN, SINGLE RESOLVER, DUAL CONDUIT, TYPE III MOTOR, RETURN SPRING                        |
| 9908-0001     | GS6FS, 0.750 SQ IN PORT, OB ELE DRIVER, 1.5 SAE FLANGES, RETURN SPRING, .750 NPT ELE CONDUIT, ALUM     |
| 9908-1595     | GS6FS, 0.83 SQ IN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, TYPE III MOTOR, RETURN SPRING                |

| Item No   | Extended Desc                                                                                       |
|-----------|-----------------------------------------------------------------------------------------------------|
| 9907-572  | GS16, 1.0 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                       |
| 9908-270  | GS16, 1.0 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER, PAINTED                              |
| 9908-273  | GS16, 1.0 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES                                               |
| 9908-423  | GS16, 1.0 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, CE MARKED EYEBOLT                            |
| 9908-281  | GS16, 1.0 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, CHINESE                                      |
| 9907-687  | GS16, 1.00 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                      |
| 9908-1504 | GS16, 1.5 SQIN, SINGLE RESOLVER, CHARACTERIZED, DUAL CONDUIT ENTRIES                                |
| 9908-1579 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL ATEX ZONE 1 CONDUIT & CONNECTOR                               |
| 9908-1501 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES                                               |
| 9908-1582 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES                                               |
| 9908-1638 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, CE MARKED EYEBOLT                            |
| 9908-1584 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, INDONESIAN LABELS                            |
| 9908-1596 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, PAINTED ACTUATOR                             |
| 9908-1698 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, PMI                                          |
| 9908-1585 | GS16, 1.5 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, PMI, LIQUID PENETRANT & RADIOGRAPHIC TESTING |
| 9907-553  | GS16, 1.50 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                      |
| 9907-561  | GS16, 1.50 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                      |
| 9908-265  | GS16, 1.50 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                      |
| 9908-1640 | GS16, 1.50 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER, CE MARKED EYEBOLT                   |
| 9908-263  | GS16, 1.50 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER, METRIC FLANGE BOLT HOLES, OBVD      |
| 9908-266  | GS16, 1.50 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER, PAINTED                             |
| 9907-573  | GS16, 2.0 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                       |
| 9907-575  | GS16, 2.0 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER, METRIC FLANGE BOLT HOLES, OVBD       |
| 9908-1558 | GS16, 2.0 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER, PAINTED YELLOW                       |
| 9908-1502 | GS16, 2.0 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES                                               |
| 9908-1639 | GS16, 2.0 SQIN, SINGLE RESOLVER, DUAL CONDUIT ENTRIES, CE MARKED EYEBOLT                            |
| 9907-574  | GS16, 2.00 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                      |
| 9908-269  | GS16, 2.00 SQIN, ANALOG / DEVICENET / CANOPEN, SINGLE RESOLVER                                      |

| Item No   | Extended Desc                                                                             |
|-----------|-------------------------------------------------------------------------------------------|
| 9907-526  | GS16DR,2IN,RF600#,SS-CF8M,1.0ACD,NA-EU,-40TO200F,25/125VDC,NA,0,REM                       |
| 9908-1636 | GS16DR,2IN,RF600#,SS-CF8M,1.0ACD,NA-EU,-40TO200F,25/125VDC,NA,0,REM,CE MARKED EYEBOLT     |
| 9907-528  | GS16DR,2IN,RF600#,SS-CF8M,2.0ACD,NA-EU,-40TO200F,25/125VDC,NA,0,REM                       |
| 9908-1581 | GS16DR,2IN,RF600#,SS-CF8M,2.0ACD,NA-EU,-40TO200F,25/125VDC,NA,0,REM,90 DEG ROTATED DRIVER |
| 9908-1637 | GS16DR,2IN,RF600#,SS-CF8M,2.0ACD,NA-EU,-40TO200F,25/125VDC,NA,0,REM,CE MARKED EYEBOLT     |
| 9907-1187 | GS16DR,900 PSI,1.0ACD,NA-EU,125VDC                                                        |
| 9908-1635 | GS16DR,900 PSI,1.0ACD,NA-EU,125VDC,CE MARKED EYEBOLT                                      |
| 9907-2338 | GS16DR,900 PSI,1.0ACD,NA-EU,125VDC,SPANISH                                                |

## ***Customer Action***

---

Prior to the effectivity date, contact your local Woodward representative for last time buy opportunities for any of the item numbers listed in the table(s) above. After the effectivity date, there will be no further opportunities to purchase these products from Woodward.

We recognize that many customers utilizing this product family may only have access to the OEM item number. Each Woodward product includes an external nameplate that should be visible while the product is installed. The nameplate should include both the OEM Item Number as well as the Woodward Item Number referenced in this document. If you are unsure if this product change notification affects your installation, please consult your local Woodward representative.

---

Copyright © Woodward, Inc. 2025  
All Rights Reserved



PO Box 1519, Fort Collins CO 80522-1519, USA  
1041 Woodward Way, Fort Collins CO 80524, USA  
Phone +1 (970) 482-5811

Email and Website—[www.woodward.com](http://www.woodward.com)

**Woodward has company-owned plants, subsidiaries, and branches, as well as authorized distributors and other authorized service and sales facilities throughout the world.**

**Complete address / phone / fax / email information for all locations is available on our website.**